Trusted herbal care for piles...





Enriched with balanced formula











Key Contains @ Usages





Apamarg: Useful For Constipation, Stops Bleeding



Lajjalu: Mool Useful For Wounds During Piles And Itching



Aritha Bhasma: Useful For Inner & Outer Piles And Useful For Digestion And Bleeding



Pittpapdo : Provides Coolness During Piles And Coolness

CONTAIN ...



*	Each Capsules Contains:	
	Ext. of Lajjalu mool (Minosa pudica)	80 mg. A.B.
	Ext. of Apamarg panchang (Achyrasunthes aspera)	60 mg. A.B.
	Ext. of Mengo seed (Megnifera indica)	40 mg. A.B.
	Ext. of Sarpankho root (Tephrosia pururea)	40 mg. A.B.
	Ext. of Salaki niryas (Boswellia serrata)	20 mg. A.B.
	Ext. of Suran rhizome (Amorphophul luscampanulatus)	60 mg. A.B.
	Ext. of Lodhar chhal (Sumplocos racemosa)	40 mg. A.B.
	Nagkeshar flower bud (Mesua ferrea)	40 mg. BHP
	Neem chhal (Azadirachta indica)	40 mg. A.B.
	Aritha bhasma (Fruits sapindus trifolius)	20 mg. BHR
	Rasvanti powder	20 mg. A.B.
	Pittapapdo plant (Fumaria officinalis)	20 mg. A.B.
	Limbodi powder (Melia azadirachta)	20 mg. A.B.

Piles & Ayurveda



CAPSULES Wrong diet & life style Dosha affect Mandagni anorectal Internal area **Symptoms Undigested** Vitiation of of piles doshas food material Semi watery **Digested** motion food material **Hard motion** roid


For the use of regd. Medical practitioner only

What is piles?



Piles Are Hemorrhoids That Become Inflamed. Hemorrhoids Are Masses, Clumps, Cushions Of Tissue In The Anal Canal - They Are Full Of Blood Vessels, Support Tissue, Muscle And Elastic Fibers.


Although <u>Hemorrhoids</u> Are Thought Of As Unpleasant Inflammations, We All Have Them. It Is When The Hemorrhoidal Cushions Become Too Big (Inflamed) That Problems Occur - When This Happens They Are Called Piles Or Pathological Hemorrhoids.







Piles can be of various sizes and may be internal (inside the anus) or external ones (outside the anus). Typically, internal piles occur from 2 to 4cm above the opening of the anus. External piles (perianal hematoma) occur on the outside edge of the anus. The internal ones are much more common.



symptomatic hemorrhoids affect at least half the population at some time in their lives before the age of 50.

In the majority of cases, piles are effectively treated with over-the-counter medications, a good fluid intake, and by following a diet high in fiber. In severe cases, the piles may have to be surgically removed. About 10% of patients who go and see their doctor about piles eventually require surgical intervention.

Why Do Piles Occur?



The Blood Vessels Around The Anus And In The Rectum Will Stretch Under Pressure And May Swell Or Bulge. Inflamed Veins (Hemorrhoids) Can Develop When Pressure Increases In The Lower Rectum.





- ➢ Here Are Some Key Points About Piles. More Detail And Supporting Information Is In The Main Article.
- ☐ Piles Are Hemorrhoids That Become Inflamed.
- ☐ The Size Of Piles Can Vary And Are Found Inside Or Outside The Anus.
- ☐ Half The Us Population Are Affected By Piles, Usually Before The Age Of 50.
- □ Around 10% Of Patients Who Go And See Their Doctor About Piles, Require Surgical Treatment.
- ☐ Piles Are Often Not Serious And Go Away On Their Own.
- Internal Hemorrhoids Are Ordered Into Four Grades.
- ☐ External Hemorrhoids Are Called Perianal Hematoma.
- Piles Occur Due To Chronic Constipation, Chronic Diarrhea, Lifting Heavy Weights, Pregnancy Or Straining When Passing A Stool



Ask Following To Check Piles

Do Any Close Relatives (Parents, Siblings) Have Piles?

External

hemorrhoid

- Has There Been Any Blood On The Stools?
- Has There Been Any Mucus On The Stools?
- Has There Been Any Recent Weight Loss?
- Have Bowel Movements Changed Recently?
- What Color Are The Stools?

182

What are the signs and symptoms of piles?

In Most Cases Piles Are Not Serious And Go Away On Their Own After A Few Days.

An Individual With Piles May Experience The Following Symptoms

- A Hard Lump May Be Felt Around The Anus. It Consists Of Coagulated Blood, Called A Thrombosed External Hemorrhoid. This Can Be Painful
- After Going To The Toilet, A Feeling That The Bowels Are Still Full
- Bright Red Blood After A Bowel Movement
- Itchiness Around The Anus
- Mucus Discharge When Emptying The Bowels
- Pain While Defecating
- The Area Around The Anus May Be Red And Sore.



Internal Hemorrhoids Are Classified Into Four type

- ☐ 1 There Are Small Inflammations, Usually Inside The Lining Of The Anus. They Are Not Visible
- 2 Larger Than type 1 Hemorrhoids, But Also Inside The Anus. When Passing A Stool, They May Get Pushed Out, But Return Unaided
- □ 3 Often Called 'Prolapsed Hemorrhoids'; These Appear Outside The Anus. The Patient May Feel Them Hanging Out. They Can Be Pushed Back In If The Patient Presses With Their Finger
- 4 These Cannot Be Pushed Back In And Need To Be Treated By A Doctor. They Are Large And Stay Outside The Anus All The Time. External Hemorrhoids Are Called Perianal Hematoma. These Are Small Lumps That Are Located On The Outside Edge Of The Anus. They Are Very Itchy And Can Be Painful If A Blood Clot Forms Inside (Thrombosed External Hemorrhoid). Thrombosed External Hemorrhoid Requires Medical Treatment Straight Away.

Below we highlight some common stool samples, identifying the type of stool that is healthy and those that are less healthy.







How to take care



For the use of regd. Medical practitioner only

How To Take Care





Don't Eat Junk Food



Eat More High Fiber food



Take Curd & Buttermilk In Your Daily Meal





Also Available





Enriched with balanced formula

30 gm Eco Pack With FREE Applicator inside.

30 gm







3 x 10 Capsules









